



**COMMITTED TO IMPROVING
THE PERFORMANCE
AND QUALITY OF PRODUCTS**

KONSTANT

WUXI KONSTANT POWER TECH CO., LTD

ADD: No. 30, Rongxing Road, Xishan Distric, Wuxi City, 214100 Jiangsu, China

Phone: +86 181 1889 1139

Email: sales@konstantpm.com

Web: www.konstantpm.com



WUXI KONSTANT POWER TECH CO., LTD





ABOUT KONSTANT

A leading manufacturer of Mini Dumpers in China
 Directly factory over 16 years experience
 Insist on high quality products
 100% Customer Satisfaction Guaranteed
 Production Capacity Assurance
 Full Customization for OEM ODM
 Cooperated with Fortune 500 companies

- **Values**
Super Products Quality
- **Core values**
Customization options
- **Our Mission**
Carry the future

 **QUALITY**
 **INNOVATION**
 **RELIABILITY**
 **CUSTOMIZATION**

CONTENTS

BATTERY POWERED



▪ MD500E MD500EZ	03
▪ MD500EP MD500EZP	04
▪ MD300ES MD300ESP	07
▪ MD300EN MD300ENP	11
▪ MD350ELD	15
▪ OPTIONAL ATTACHMENTS	17

GASOLINE POWERED



▪ MD250C	21
▪ MD300CLD	23
▪ MD500CLD	25
▪ MD500CLDH	26
▪ MD500CLDHZ	27
▪ MD500CLDHS	28
▪ MD500CLDHP	29
▪ MD500FH	30
▪ MD800CLDH	31



BATTERY POWERED MINI DUMPER

The KONSTANT Battery Powered Mini Dumpers are ideal for use on buildings, riding stables, green spaces, graveyards or simply for transporting gravel, sand and aggregates in large gardens. Designed to pass through a standard-width doorway and combines the versatility and maneuverability to tackle both indoor and outdoor projects with ease. With long-run battery power, it makes the removal of material both faster and safer, with no petrol engine fumes in confined spaces to worry about.

PRODUCT SPECIFICATIONS

SERIES:

- 4x2 1000W
- 4x4 1000W
- 4x4 1600W
- E-track 2200W

MODELS:

- MD500E/EZ MD500EP/EZP
- MD300ES MD300ESP
- MD300EN MD300ENP
- MD350ELD

QUIET, ZERO EMISSION, 100% GREEN POWER

**WOULD YOU LIKE TO TRANSPORT LOADS
FASTER, MORE EFFICIENTLY AND WITHOUT GETTING TIRED?**

Here Is Your Solution: The Battery Powered Mini Dumper



MD500E MD500EZ



MD500EP ME500EZP

TUV RHEINLAND CE APPROVED 500KG BATTERY POWERED MINI DUMPER

PRODUCT INTRODUCTION

The KONSTANT Electric Mini Dumper MD500E/EZ, equipped with 48V 1000w battery system, hydraulic tipping, which make your work on construction sites, landscaping projects, and more, faster and more efficient than ever before. Capable of carrying up to 500kg of material, this mini dumper is perfect for transporting heavy loads of dirt, gravel, rocks, sand, and other construction materials.

PRODUCT INTRODUCTION

The KONSTANT MD500EP/EZP is an upgrade to the MD500E with a hydraulic High lift and ejection system. The dumper is also equipped with the 1000w motors, allowing you to move heavy loads with ease. The Electro-hydraulic push rod is more powerful, easily and controllably unloading material.

MD500E MD500EZ

SKU: 50301
52303



48V 20Ah
Lead-acid battery




8hours
Charging time



8-10hours
Working time



500Kg
Loading capacity



48V20Ah
Lead-acid battery



LCD Screen display



40w Lighting lamp



Hydraulic tipping

MODELS	500E	500EZ
Motor	1000W Brush-less DC motor	1000W Brush-less DC motor
Battery	48V 20Ah Lead-acid Battery	48V 20Ah Lead-acid Battery
Loading Capacity	500kg	500kg
Bucket Tipping	Hydraulic by HPU	Hydraulic by HPU
Brake System	Electromagnetic Brake	Electromagnetic Brake
Forward Speed	1: 2.5km/h 2: 5.3km/h 3: 6.5km/h	1: 2.5km/h 2: 5.3km/h 3: 6.5km/h
Reverse Speed	2.0 km/h	2.0 km/h
Drive Wheel	16*6.50-8 tubeless tyre	16*6.50-8 tubeless tyre
Steer Wheel	13*5.00-6 tubeless tyre	13*5.00-6 tubeless tyre
Overall Size	1771*891*1114mm	1705*756*1094mm
N.W/G.W	250/280 kg	240/270 kg
40HQ Loading Quantity	75pcs	75pcs

KONSTANT



48V20Ah
Lead-acid battery



LCD Screen display



40w Lighting lamp



Hydraulic lifting &
Hydraulic tipping



MODELS	500EP	500EZP
Motor	1000W Brush-less DC motor	1000W Brush-less DC motor
Battery	48V 20Ah Lead-acid Battery	48V 20Ah Lead-acid Battery
Loading Capacity	500kg	500kg
High Lift	Hydraulic by HPU	Hydraulic by HPU
Max Lifting Height	1.4m	1.4m
Bucket Tipping	Hydraulic	Hydraulic
Brake System	Electromagnetic Brake	Electromagnetic Brake
Forward Speed	1: 2.5km/h 2: 5.3km/h 3: 6.5km/h	1: 2.5km/h 2: 5.3km/h 3: 6.5km/h
Reverse Speed	2.0 km/h	2.0 km/h
Drive Wheel	16*6.50-8 tubeless tyre	16*6.50-8 tubeless tyre
Steer Wheel	13*5.00-6 tubeless tyre	13*5.00-6 tubeless tyre
Overall Size	1708*874*1258mm	1726*756*1250mm
N.W/G.W	308/350kg	298/340kg
40HQ Loading Quantity	42pcs	42pcs



MD500EP MD500EZP

SKU: 51301
53301



48V 20Ah
Lead-acid battery



8hours
Charging time



8-10hours
Working time



500Kg
Loading capacity

**WOULD YOU LIKE TO TRANSPORT LOADS
FASTER, MORE EFFICIENTLY AND WITHOUT GETTING TIRED?**

Here Is Your Solution: The Battery Powered Mini Dumper



MD300ES



MD300ESP

TUV RHEINLAND CE APPROVED 300KG BATTERY POWERED MINI DUMPER

PRODUCT INTRODUCTION

Our KONSTANT KT-MD300ES four-wheel drive electric mini dumper is equipped with a powerful 1000 watt electric motor, which means it drives itself. It will spare you an enormous amount of effort! The 4 batteries with a total of 48V allow between 6 and 8 hours of use with a single charge (depending on the use). And the total width of approx. 72cm also means it can fit through regular-sized doorways.

PRODUCT INTRODUCTION

Our KONSTANT All-New, All-Green 4WD Electric Power-Barrow 300ESP is a 4 x4 Chain Drive electric vehicle. The 1000w motors make the machine working perfectly on difficult grounds like sandy or muddy terrain. The Electro-hydraulic push rod is more powerful, easily and controllable to unloading material. Steel made frame and powder coated with exterior paint greatly extends the service life of the machine.

MD300ES

SKU: 30602



48V 20Ah
Lead-acid battery



8hours
Charging time



8-10hours
Working time



300Kg
Loading capacity



48V20Ah
Lead-acid battery



LCD Screen display



Safety deadman lever



Three speed control

MODEL	300ESP
Motor	1000W Brush-less DC motor
Battery	48V 20Ah Lead-acid Battery
Loading Capacity	300kg
Bucket Tipping	Hydraulic by HPU
Brake System	Electromagnetic Brake
Forward Speed	1: 2.5km/h 2: 5.3km/h 3: 7.3km/h
Reverse Speed	2.0 km/h
Wheel Size	Front 400-10, Rear400-8
Overall Size	1650*780*920mm
N.W/G.W	170/250 kg
40HQ Loading Quantity	81pcs




48V20Ah
Lead-acid battery



LCD Screen display



Safety deadman lever



Hydraulic tipping



48V 20Ah
Lead-acid battery



8hours
Charging time



8-10hours
Working time



300Kg
Loading capacity



MD300ESP

SKU: 30702

MODEL	300ES
Motor	1000W Brush-less DC motor
Battery	48V 20Ah Lead-acid Battery
Loading Capacity	300kg
Bucket Tipping	Manual
Brake System	Electromagnetic Brake
Forward Speed	1: 2.5km/h 2: 5.3km/h 3: 7.3km/h
Reverse Speed	2.0 km/h
Wheel Size	Front 400-10, Rear400-8
Overall Size	1650*780*920mm
N.W/G.W	135/169 kg
40HQ Loading Quantity	81pcs

**WOULD YOU LIKE TO TRANSPORT LOADS
FASTER, MORE EFFICIENTLY AND WITHOUT GETTING TIRED?**

Here Is Your Solution: The Battery Powered Mini Dumper



MD300EN



MD300ENP

TUV RHEINLAND CE APPROVED 300KG BATTERY POWERED MINI DUMPER

PRODUCT INTRODUCTION

Our KONSTANT KT-MD300EN is a 4 wheel drive electric vehicle that has been designed to be used on difficult grounds like sandy or muddy terrain. It is equipped with 2x800w motors.

It's been designed to load up to 300kg on flat grounds and has a towing capacity of up to 1,000kg.

The frame is made from steel and powder coated with exterior paint. It can be equipped with several accessories that can be easily interchanged.

PRODUCT INTRODUCTION

Our KONSTANT MD300ENP is an upgrade to the MD300EN with a hydraulic dumping system. Equipped with two powerful 800 watt electric motors, which means it drives itself. It will spare you an enormous amount of effort! The 4 batteries with a total of 48V allow between 6 and 8 hours of use with a single charge (depending on the use).

Owing to its electric motor, this electric dumper makes little or virtually no noise and most importantly, produces no exhaust fumes!

MD300EN

SKU: 30401



48V 20Ah
Lead-acid battery



8hours
Charging time



8-10hours
Working time



300Kg
Loading capacity



Optional Battery
48V40Ah



LCD Screen display



40w Lighting lamp



Articulated steering

MODEL	300ENP
Motor	800W *2 Brushless DC motor
Battery	48V 20Ah Lead-acid Battery, 48V 40Ah for option
Loading Capacity	300kg
Bucket Tipping	Hydraulic by HPU
Brake System	Hydraulic Disk Brake
Forward Speed	1: 2.5km/h 2: 5.3km/h 3: 7.3km/h
Reverse Speed	2.0 km/h
Wheel Size	Front 4.00-8, Rear 4.00-8
Overall Size	1781*704*944mm
N.W/G.W	300/350kg
40HQ Loading Quantity	50pcs

KONSTANT



Optional Battery
48V40Ah



Safety Deadman Lever &
hand protection



LCD Screen display



Hydraulic tipping



48V 20Ah
Lead-acid battery



8hours
Charging time



8-10hours
Working time



300Kg
Loading capacity



MD300ENP

SKU: 30502



TUV RHEINLAND CE APPROVED 350KG BATTERY POWERED MINI DUMPER

• **MD350ELD**

PRODUCT INTRODUCTION

KONSTANT Rubber Track Electric Mini Dumper MD350ELD is self-propelled and the skip features a hydraulic dumping mechanism. The 2200W motors make the machine working perfectly on difficult grounds like sandy or muddy terrain. A powerful hydraulic unit and a hydraulic cylinder have been built onto the machine to facilitate this. The ejection system extends the operating range so you can load a variety of materials weighing up to 350kg directly into the container, trailer or onto the lorry. The KONSTANT MD350ELD features folding step for the operator to stand on the machine and ride along.

MODEL	350ELD
Motor	2200W Brushless DC motor
Battery	48V 40Ah Lead-acid Battery
Loading Capacity	350kg
Bucket Tipping	Hydraulic by HPU
Brake System	Mechanical brake
Forward Speed	1: 1.5km/h 2: 3.0km/h 3: 4.0km/h
Reverse Speed	1.0 km/h
Grade ability	20°
Track Size	180*60*38mm
Bucket Size	836*620*469mm
Overall Size	1667*730*1160mm
N.W/G.W	170/250 kg
40HQ Loading Quantity	50pcs



Safety control handle



LCD Screen display



Standard platform



Hydraulic tipping



48V 40Ah
Lead-acid battery



8hours
Charging time



8-10hours
Working time



350Kg
Loading capacity

MD350ELD

SKU: 30801

OPTIONAL ATTACHMENTS

Name	Model	500E/EZ	500EP/EZP	300ES/ESP	300EN/ENP	350ELD
Flat Bed		✓	-	✓	✓	-
Ball Hitch		✓	✓	✓	✓	-
Snow Plough		✓	-	✓	✓	-
Bucket Extension		✓	✓	✓	✓	-
Turf Tyres		-	-	✓	✓	-
Concrete Mouth		✓	✓	-	-	-
Plastic Bucket		-	-	✓	✓	-
Stand Platform		-	-	-	✓	✓



Flat Bed



Turf Tyre



Ball Hitch



Snow Plough



Bucket Extension




Concrete Mouth



Bucket



Stand Platform



More Functions on the way

GALLERY





GASOLINE POWERED MINI DUMPER

Our KONSTANT Gasoline Powered Mini dumpers are good helpers for DIY, Civil Job, Garden, Farm, Fruit Plantation, Landscaping, Construction Mining and Finishing. Reassuringly safe and easy to operate, ideal for any application where the muscle to move heavy items is required.

PRODUCT SPECIFICATIONS

SERIES:

- 4x4 250kg
- Track 300kg
- Track 500kg
- Track 800kg

MODELS:

- MD250C
- MD300CLD
- MD500CLD MD500CLDH/Z/S/P
- MD800CLDH

FAST, STRONGER, MORE EFFICIENT



TUV RHEINLAND CE APPROVED 250KG GASOLINE POWERED MINI DUMPER

• MD250C

PRODUCT INTRODUCTION

The KONSTANT Chain Drive 4WD mini dumper(power wheel barrow) MD250C is a good helper for DIY, Civil Job, Garden, Farm, Fruit Plantation, Landscaping and Construction. The Power Barrow has 4 forward gears with a speed of 1.0-5.6km/h and one reverse to suit any condition it is working in. It is a self propelled power unit narrow enough to fit through your doorway. The strong 4WD system makes it easy to climb a 30 degree slope or a muddy rough place.

MODEL	250C
Engine	4-stroke, single cylinder, gasoline engine
Brand	HONDA, BS, LONCIN
Start	Recoil
Transmission	4F+1R
Steering	Manual
Tipping Method	Manual
Bucket	Welded, Powder coated
Loading Capacity	250kg
Wheels	Front 4.00-10, Rear 4.00-8, tubeless tyre
Overall Size	1600*700*900mm
N.W/G.W	134/168kg
40HQ Loading Quantity	81pcs



Worldwide guaranteed engine



Aluminum control lever



Gradeability upto 30°



Attachments available



196cc, 6.5hp
Engine Power



250Kg
Loading capacity



4F+1R
Transmission



stop switch
Emergency

MD250C

SKU: 25101



TUV RHEINLAND CE APPROVED 300KG GASOLINE POWERED MINI DUMPER

• **MD300CLD**

PRODUCT INTRODUCTION


KONSTANT Petrol Tracked Mini Dumper MD300CLD is a heavy-duty mini transporter with tracked drive system. This petrol tracked mini dumper is suitable for a wide range of loading and transporting applications, saving you time and effort in comparison to making many trips with a wheelbarrow.



MD300CLD
MD300CLD2

SKU: 32301
32302

MODEL	300CLD	300CLD2
Engine	LONCIN 196CC	LONCIN 196CC
Start	Recoil or key start	Recoil or key start
Trasmission	3F+1R	6F+2R
Driven	Crawler	Crawler
Loading Capacity	300kg	300kg
Bucket Size	Welded:900*670*300mm Extendable:1004*860*210mm	Welded:900*670*300mm Extendable:1004*860*210mm
Speed	0-5.0km/h	0-7.3km/h
Tipping Method	Manual with gas spring	Manual with gas spring
Track Width	180mm	180mm
Overall Size	1595 *700 *940mm	1595 *700 *940mm
N.W/G.W	155/185kg	155/185kg
40HQ Loading Quantity	46pcs/93pcs	46pcs/93pcs



Optional transmission



Optional bucket design



Gas spring dumping



196cc,6.5hp
Engine Power



300Kg
Loading capacity



3F + 1R/6F + 2R
Transmission



stop switch
Emergency

MD500CLD MD500CLD2

SKU: 50101
52101



 **196cc, 6.5hp**
Engine Power

 **500Kg**
Loading capacity

 **3F + 1R/6F + 2R**
Transmission

 **stop switch**
Emergency

PRODUCT INTRODUCTION

KONSTANT MD500CLD petrol mini dumper is a compact yet powerful solution for handling various construction and landscaping tasks with ease and efficiency.

MODEL	500CLD	500CLD2
Engine	LONCIN 196CC	LONCIN 196CC
Start	Recoil or key start	Recoil or key start
Trasmission	3F+1R	6F+2R
Driven	Crawler	Crawler
Loading Capacity	500kg	500kg
Bucket Size	Welded:1100*720*361mm Extendable:1240*840*350mm	Welded:1100*720*361mm Extendable:1240*840*350mm
Speed	0-5.0km/h	0-7.3km/h
Tipping Method	Manual with gas spring	Manual with gas spring
Track Width	180mm	180mm
Overall Size	1770 *770 *1020mm	1770 *770 *1020mm
N.W/G.W	245/285kg	245/285kg
40HQ Loading Quantity	42pcs/69pcs	42pcs/69pcs




Optional transmission



Safety handle



Bucket can be split



Gas spring dumping

KONSTANT



Optional transmission



Safety handle



Quality guaranteed engine



Hydraulic dumping

MODEL	500CLDH	500CLDH2
Engine	LONCIN 270CC	LONCIN 270CC
Start	Recoil or key start	Recoil or key start
Trasmission	3F+1R	6F+2R
Driven	Crawler	Crawler
Loading Capacity	500kg	500kg
Bucket Size	Welded:1000*700*450mm	Welded:1000*700*450mm
Speed	0-5.0km/h	0-7.3km/h
Tipping Method	Hydraulic	Hydraulic
Track Width	180mm	180mm
Overall Size	1850 *710 *1100mm	1850 *710 *1100mm
N.W/G.W	280/350kg	280/350kg
40HQ Loading Quantity	42pcs	42pcs



 **270cc, 9.0hp**
Engine Power

 **500Kg**
Loading capacity

 **3F + 1R/6F + 2R**
Transmission

 **stop switch**
Emergency

The KONSTANT MD500CLDH track dumper has a 9.0 HP petrol engine which can be started using a recoil starter or key starter.

The crawler dumper is self-propelled and the skip can be tipped. A hydraulic unit and a hydraulic cylinder have been built onto the machine to facilitate this. Our minidumper sets itself apart from the competition with this function! The lifting and lowering process is complete within a matter of seconds.

MD500CLDH MD500CLDH2

SKU: 50201
53201

500CLDHZ 500CLDH2Z

SKU: 52201
54201



 **270cc, 9.0hp**
Engine Power

 **500Kg**
Loading capacity

 **3F + 1R/6F + 2R**
Transmission

 **stop switch**
Emergency



Hydraulic control



Optional transmission



Hydraulic Shovel



Quality guaranteed engine

PRODUCT INTRODUCTION

The KONSTANT MD500CLDHZ track dumper has a 9.0 HP petrol engine which can be started using a recoil starter or key starter.

The engine in combination with the tracks means that no surface is a problem for this mini tracked dumper. Tipping is completely hydraulic. The loading shovel to load the dumper is also hydraulically operated. This loading shovel is only suitable for loading the bucket with, for example, sand and gravel. The caterpillar drive ensures that you can transport your materials on any surface.

MODEL	500CLDHZ	500CLDH2Z
Engine	LONCIN 270CC	LONCIN 270CC
Start	Recoil or key start	Recoil or key start
Trasmission	3F+1R	6F+2R
Driven	Crawler	Crawler
Loading Capacity	500kg	500kg
Bucket Size	Welded: 1000*700*450mm	Welded: 1000*700*450mm
Shovel Size	350*660*200mm	350*660*200mm
Speed	0-5.0km/h	0-7.3km/h
Tipping Method	Hydraulic	Hydraulic
Track Width	180mm	180mm
Overall Size	1850 *710 *1100mm	1850 *710 *1100mm
N.W/G.W	347/390kg	347/390kg
40HQ Loading Quantity	42pcs	42pcs

KONSTANT



Optional transmission



Hydraulic control system



Hydraulic high lifting



Hydraulic tipping



270cc, 9.0hp
Engine Power



500Kg
Loading capacity



3F + 1R/6F + 2R
Transmission



stop switch
Emergency

MODEL	500CLDHS	500CLDH2S
Engine	LONCIN 270CC	LONCIN 270CC
Start	Recoil or key start	Recoil or key start
Trasmission	3F+1R	6F+2R
Driven	Crawler	Crawler
Loading Capacity	500kg	500kg
Bucket Size	Welded: 1000*700*450mm	Welded: 1000*700*450mm
Speed	0-5.0km/h	0-7.3km/h
High Lifting & Tipping	Hydraulic	Hydraulic
Max. Lifting Height	1.4m	1.4m
Track Width	180mm	180mm
Overall Size	1820 *720 *1240mm	1820 *720 *1240mm
N.W/G.W	360/400kg	360/400kg
40HQ Loading Quantity	26pcs	26pcs



PRODUCT INTRODUCTION

This KONSTANT MD500CLDHS mini tracked dumper with an extra high tipping bucket is a mechanical dumper with a hydraulic tipping system and equipped with a 9.0HP Loncin petrol engine.

The unique feature of this dumper is the HIGH TIP tipping function. This means that you can empty the tipping bucket at a high level using a hydraulic scissor construction. You can therefore easily tip the bucket onto a truck or into a container.

MD500CLDHS MD500CLDH2S

SKU: 51201
55201

MD500CLDHP MD500CLDH2P

SKU: 57201
56201



PRODUCT INTRODUCTION

KONSTANT Petrol Tracked Mini Dumper MD500CLDHP is a heavy-duty mini transporter with tracked drive system. This petrol tracked mini dumper is suitable for a wide range of loading and transporting applications, saving you time and effort in comparison to making many trips with a wheelbarrow.

MODEL	500CLDHP	500CLDH2P
Engine	LONCIN 270CC	LONCIN 270CC
Start	Recoil or key start	Recoil or key start
Trasmission	3F+1R	6F+2R
Driven	Crawler	Crawler
Loading Capacity	500kg	500kg
Bucket Size	Welded: 1000*700*450mm	Welded: 1000*700*450mm
Shovel Size	350*660*200mm	350*660*200mm
Speed	0-5.0km/h	0-7.3km/h
Tipping Method	Manual with gas spring	Manual with gas spring
Track Width	180mm	180mm
Overall Size	1820 *720 *1240mm	1820 *720 *1240mm
N.W/G.W	442/490kg	442/490kg
40HQ Loading Quantity	26pcs	26pcs



Stand platform available



Optional transmission



Hydraulic control system



Hydraulic lifting & Hydraulic tipping

KONSTANT




Full hydraulic system



Quality guaranteed engine



Hydraulic pump



Hydraulic dumping

MODEL	500FH
Engine	LONCIN 270CC
Start	Recoil or key start
Trasmission	Hydraulic
Driven	Crawler
Loading Capacity	500kg
Shovel Capacity	100kg
Bucket Size	Welded: 1000*700*450mm
Forward Speed	Low: 0-2.5kmh High: 0-5.0kmvh
Reverse Speed	Low: 0-1.25km/h High: 0-3.0kmvh
Tipping Method	Hydraulic
Track Width	180mm
Overall Size	1850 *710 *1100mm
N.W/G.W	280/350kg
40HQ Loading Quantity	42pcs



270cc, 9.0hp
Engine Power



500Kg
Loading capacity



Full hydraulic
Transmission



stop switch
Emergency

PRODUCT INTRODUCTION

The crawler dumper MD500FH is self-propelled and the skip can be tipped. A hydraulic unit and a hydraulic cylinder have been built onto the machine to facilitate this. Our mini-dumper sets itself apart from the competition with this function!

MD500FH

SKU: 50401



TUV RHEINLAND CE APPROVED 800KG GASOLINE POWERED MINI DUMPER

• MD800CLDH

PRODUCT INTRODUCTION

Our KONSTANT MD800CLDH track dumper is a flexible power house for a variety of applications. The KONSTANT MD800CLDH track dumper has a powerful 13HP petrol engine in combination with the caterpillar tracks means that no surface is a problem. The powerful hydraulic system with a lifting capacity of 800kg, it is easy for you to handle heavy loads.

The MD800CLDH is equipped with a skip with folding side walls which can also be removed to use the platform as a transport bed. So even europallets (1200x800 mm) will easily fit the skip – even closed! The foldable footboard also proves to be extremely helpful and comfortable on longer distances.

MODEL	800CLDH
Engine	LONCIN 390CC
Start	Recoil or key start
Trasmission	6F+2R
Driven	Crawler
Loading Capacity	800kg
Bucket Size	Welded: 1320*821*308mm
Speed	0–5.0km/h
Tipping Method	Hydraulic
Track Width	180mm
Overall Size	2180 *891 *975mm
N.W/G.W	450/486kg
40HQ Loading Quantity	24pcs



6+2 gearbox



Strong on platform



strong driving system



Hydraulic dumping



390cc, 13hp
Engine Power



800Kg
Loading capacity



6F + 2R
Transmission



stop switch
Emergency

MD800CLDH

SKU:80101